


National Status and Trends Program
for Marine Environmental Quality

A Summary of Chemical Contaminant Levels at Benthic Surveillance Project Sites (1984-1992)



Silver Spring, Maryland
February 1998

US Department of Commerce

noaa National Oceanic and Atmospheric Administration

Coastal Monitoring and Bioeffects Assessment Division
Office of Ocean Resources Conservation and Assessment
National Ocean Service

**Coastal Monitoring and Bioeffects Assessment Division
Office of Ocean Resources Conservation and Assessment
National Ocean Service
National Oceanic and Atmospheric Administration
U.S. Department of Commerce
N/ORCA2, SSMC4
1305 East-West Highway
Silver Spring, MD 20910**

Notice

This report has been reviewed by the National Ocean Service of the National Oceanic and Atmospheric Administration (NOAA) and approved for publication. Such approval does not signify that the contents of this report necessarily represents the official position of NOAA or of the Government of the United States, nor does mention of trade names or commercial products constitute endorsement or recommendation for their use.

A Summary of Chemical Contaminant Levels at Benthic Surveillance Project Sites (1984-1992)

Michelle R. Harmon, B. William Gottholm, and Andrew Robertson

National Ocean Service

Coastal Monitoring and Bioeffects Assessment Division

Silver Spring, MD 20910



Silver Spring, Maryland
February 1998

United States
Department of Commerce

William M. Daley
Secretary

National Oceanic and
Atmospheric Administration

D. James Baker
Under Secretary

National Ocean Service

Nancy Foster
Assistant Administrator

About this Report

This report summarizes fish and sediment metals and organics data collected by the National Status and Trends (NS&T) Program Benthic Surveillance Project from 1984 to 1992. The data are shown by region and site. Species are summarized in relation to each other as well as to contaminant concentrations found at all other NS&T sites around the United States. This summary is intended to provide information to assist local and state resource managers evaluate contaminant conditions in their areas and place those conditions in perspective to those throughout the nation.

In response to the need for information assessing the effects of human activities on environmental quality in coastal and estuarine areas, and the need to develop management strategies to deal with these conditions, the Coastal Monitoring and Bioeffects Assessment Division (CMBAD) of the National Oceanic and Atmospheric Administration (NOAA) initiated, in 1984, the National Status and Trends (NS&T) Program. The purpose of this program is to determine the current status and detect changes that are occurring in the environmental quality of our nation's estuarine and coastal waters. Because of concern over inputs of contaminants to U.S. coastal waters, it was decided to focus the program initially on these substances and their effects. Major components of the NS&T Program include: the **Mussel Watch Project**, the **Benthic Surveillance Project**, **Bioeffects Surveys**, **Historical Trends**, **Coastal Contamination Assessments**, the **Quality Assurance Project**, and **Specimen Banking**.

As part of its nationwide monitoring, the NS&T Program monitors the levels of more than 70 contaminants and certain associated effects in biota and sediments. It provides data for making spatial and temporal comparisons of contaminant levels to determine which regions around our coasts are of greatest concern regarding existing or developing potential for environmental degradation. It includes measurements of concentrations of 24 polycyclic aromatic hydrocarbons (PAHs); 20 congeners of polychlorinated biphenyls (PCBs); DDT, its breakdown products DDD and DDE; nine other

chlorinated pesticides; butyltins; four major elements; and 12 trace elements in sediments, mussels, and oysters at over 240 coastal and estuarine sites by the **Mussel Watch Project**. Additionally, determinations of the levels and effects of the same chemicals in the livers of bottom-dwelling fish and associated sediments are made by the **Benthic Surveillance Project** at over 100 sites (refer to the map inside back cover). The frequency of external and internal disease conditions in the sampled fish is documented and data from all monitored sites are stored in the NS&T Data Base. This information is analyzed and made available to coastal and marine resource managers and the public in a variety of reports and publications (over 400 to date).

Sampling and analyses for the NS&T monitoring projects are performed using well-documented methods and techniques, so that a known level of confidence can be assigned to all data. Analytical procedures adhere to the standards of its **Quality Assurance Project**, established for all laboratories participating in the NS&T Program. Selected samples collected as part of the NS&T's **Specimen Banking** are preserved in liquid nitrogen and stored at -150 °C. A specimen archive of these samples has been established at the National Institute of Standards and Technology (formerly the National Bureau of Standards) in Gaithersburg, MD. Specimens from the archive will be available for retrospective analyses as new analytical techniques become available and perceptions of environmental quality issues change.

In 1986, the NS&T Program initiated **Bioeffects Surveys** in those regions where NS&T analyses indicated a potential for substantial environmental degradation and biological effects due to contamination. Most studies focus on living marine resources, especially bottom-dwelling fish. Studies are done on such subjects as reproductive impairment, genetic damage, sediment toxicity, refinement of methodologies, and evaluation of new indicators of contamination (DNA damage and enzymatic activity in fish livers), as well as on the relation of such effects to contaminant concentration gradients.

Historical Trends synthesizes available data and ancillary information pertaining to the trends of toxic contaminants in regions of concern. Recently, the NS&T Program added sediment coring to better assess the trends of chemical contaminants. For many areas of concern, the NS&T data have been used to develop **Coastal Contamination Assessments**, which place regional contaminant findings for specific sites in perspective with chemical concentrations around the nation.

Data Availability

The data presented in this report, as well as additional data (see Table 1) from NOAA's National Benthic Surveillance Project and other NS&T projects, are available electronically from the Coastal Monitoring and Bioeffects Assessment Division or on ORCA's Internet Information Service located at <http://seaserver.nos.noaa.gov/projects/nsandt/nsandt.html>.



A SUMMARY OF CHEMICAL CONTAMINANT LEVELS AT BENTHIC SURVEILLANCE PROJECT SITES (1984 - 1992)

**National Status and Trends Program
MARINE ENVIRONMENTAL QUALITY**

January 1998

**Michelle R. Harmon,
B. William Gottholm and
Andrew Robertson**

Coastal Monitoring and Bioeffects Assessment Division
U.S. Department of Commerce
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Ocean Resources Conservation and Assessment
Silver Spring, Maryland 20910-3281
Telephone (301) 713-3028
FAX (301) 713-4388

Table of Contents

A Summary of Chemical Contaminant Levels at Benthic Surveillance Project Sites (1984-1992)

ACKNOWLEDGEMENTS	iv
LIST OF FIGURES	v
LIST OF TABLES	vii
INTRODUCTION	1
REFERENCES	6
SPECIES CONCENTRATIONS	565



SITE DESCRIPTIONS

North Atlantic Estuaries	7
Maine	10
Massachusetts	38
Mid Atlantic Estuaries	61
Massachusetts	64
Rhode Island	72
Connecticut	80
New York	88
New Jersey	110
Delaware	126
Maryland	134
Virginia	150
South Atlantic Estuaries	159
North Carolina	162
South Carolina	170
Georgia	178

Florida	198
<i>Gulf of Mexico Estuaries</i>	227
Florida	230
Alabama	254
Mississippi	258
Louisiana	272
Texas	298
<i>Pacific Estuaries</i>	351
California	350
Oregon	486
Washington	496

Acknowledgments

Many thanks to the numerous individuals who contributed to the successful completion of this report, including those that participated in the field collection activities and those that analyzed the samples. Special thanks are due to Peter Hanson of the NMFS Southeast Fisheries Science Center, Don Brown, Catherine Sloan, and Bruce McCain of NMFS Northwest Fisheries Science Center for the countless hours they spent extensively reviewing this document.

List of Figures

		PAGE
FIGURE 1	NS&T Program Benthic Surveillance Project Monitoring Sites	3
FIGURE 2	NS&T Program Benthic Surveillance Project Monitoring Strategy	4
FIGURE 3	North Atlantic Estuaries Sites	7
FIGURE 4a	Maine - Hog Island to Islesboro Island	8
FIGURE 4b	Maine - Pemaquid Island to Cape Elizabeth	8
FIGURE 5	Massachusetts - Plum Island to Plymouth Entrance	36
FIGURE 6	Mid Atlantic Estuaries Sites	61
FIGURE 7	Massachusetts - Buzzards Bay and New Bedford Harbor	62
FIGURE 8	Rhode Island - Narragansett Bay	70
FIGURE 9	Connecticut - Niantic Bay to Norwalk	78
FIGURE 10	New York - Long Sand Shoal to Raritan Bay	86
FIGURE 11	New Jersey - Raritan Bay to Great Bay	108
FIGURE 12	Delaware - Delaware Bay	124
FIGURE 13	Maryland - Chesapeake Bay [Baltimore to Smith Island]	132
FIGURE 14	Virginia - Chesapeake Bay [York River to Norfolk area]	148
FIGURE 15	South Atlantic Estuaries Sites	159
FIGURE 16	North Carolina - Pamlico Sound to Cape Fear River	160
FIGURE 17	South Carolina - Charleston Harbor	168
FIGURE 18	Georgia - Sapelo Sound	176
FIGURE 19	Northern Florida - St. Johns River	196
FIGURE 20	Florida - Stuart to Miami	214
FIGURE 21	Gulf of Mexico Estuaries Sites	227
FIGURE 22a	Florida - Charlotte Harbor to Tampa Bay	228
FIGURE 22b	Florida - Apalachicola Bay to Pensacola Bay	228
FIGURE 23	Alabama - Mobile Bay	252
FIGURE 24	Mississippi - Pascagoula to Heron Bay	256
FIGURE 25a	Louisiana - Lake Pontchartrain and Mississippi River	270
FIGURE 25b	Louisiana - Calcasieu River	270
FIGURE 26	Texas - Galveston Bay	296
FIGURE 27	Texas - Lavaca Bay to Lower Laguna Madre	324
FIGURE 28	Pacific Estuaries Sites	347
FIGURE 29	California - San Diego Bay to Mission Bay	348
FIGURE 30	California- Oceanside Harbor to Dana Point	380
FIGURE 31a	California- San Pedro Bay	392
FIGURE 31b	California- Santa Monica Bay	392
FIGURE 32	California- San Luis Obispo to Farallon Islands	432

	Pacific Estuaries Sites	
FIGURE 33	California- San Francisco Bay	446
FIGURE 34a	California- Bodega Bay	476
FIGURE 34b	Humboldt Bay	476
FIGURE 35	Oregon - Coos Bay to Columbia River	484
FIGURE 36	Washington - Columbia River to Puget Sound	494
FIGURE 37	Alaska	512

List of Tables

		PAGE
TABLE 1	List of NS&T Sampled Chemicals	2
TABLE 2a	North Atlantic Estuaries - Fish and Sediment Site Sampling Years Maine	9
TABLE 2b	North Atlantic Estuaries - Fish and Sediment Site Sampling Years Massachusetts	37
TABLE 3a	Middle Atlantic Estuaries - Fish and Sediment Site Sampling Years Massachusetts	63
TABLE 3b	Middle Atlantic Estuaries - Fish and Sediment Site Sampling Years Rhode Island	71
TABLE 3c	Middle Atlantic Estuaries - Fish and Sediment Site Sampling Years Connecticut	79
TABLE 3d	Middle Atlantic Estuaries - Fish and Sediment Site Sampling Years New York	87
TABLE 3e	Middle Atlantic Estuaries - Fish and Sediment Site Sampling Years New Jersey	109
TABLE 3f	Middle Atlantic Estuaries - Fish and Sediment Site Sampling Years Delaware	125
TABLE 3g	Middle Atlantic Estuaries - Fish and Sediment Site Sampling Years Maryland	133
TABLE 3h	Middle Atlantic Estuaries - Fish and Sediment Site Sampling Years Virginia	149
TABLE 4a	South Atlantic Estuaries - Fish and Sediment Site Sampling Years North Carolina	161
TABLE 4b	South Atlantic Estuaries - Fish and Sediment Site Sampling Years South Carolina	169
TABLE 4c	South Atlantic Estuaries - Fish and Sediment Site Sampling Years Georgia	177
TABLE 4d	South Atlantic Estuaries - Fish and Sediment Site Sampling Years Northern Florida - St. Johns River	197
TABLE 4e	South Atlantic Estuaries - Fish and Sediment Site Sampling Years Florida - St. Luvie River to Biscayne Bay	215
TABLE 5a	Gulf of Mexico Estuaries - Fish and Sediment Site Sampling Years Florida - Gulf Coast	229
TABLE 5b	Gulf of Mexico Estuaries - Fish and Sediment Site Sampling Years Alabama	253
TABLE 5c	Gulf of Mexico Estuaries - Fish and Sediment Site Sampling Years Mississippi	257

TABLE 5d	Gulf of Mexico Estauries - Fish and Sediment Site Sampling Years Louisiana	271
TABLE 5e	Gulf of Mexico Estauries - Fish and Sediment Site Sampling Years Texas - Galveston Bay	297
TABLE 5f	Gulf of Mexico Estauries - Fish and Sediment Site Sampling Years Texas - Lavaca Bay to Lower Laguna Madre	325
TABLE 6a	Pacific Estauries - Fish and Sediment Site Sampling Years California - San Diego Bay to Mission Bay	349
TABLE 6b	Pacific Estauries - Fish and Sediment Site Sampling Years California - Oceanside Harbor to Dana Point	381
TABLE 6c	Pacific Estauries - Fish and Sediment Site Sampling Years California - San Pedro Bay to Santa Monica Bay	393
TABLE 6d	Pacific Estauries - Fish and Sediment Site Sampling Years California - San Luis Obispo to Farallon Islands	433
TABLE 6e	Pacific Estauries - Fish and Sediment Site Sampling Years California - San Francisco Bay	447
TABLE 6f	Pacific Estauries - Fish and Sediment Site Sampling Years California - Bodega Bay to Humboldt Bay	477
TABLE 6g	Pacific Estauries - Fish and Sediment Site Sampling Years Oregon - Coos Bay to Columbia River	485
TABLE 6h	Pacific Estauries - Fish and Sediment Site Sampling Years Washington - Columbia River to Puget Sound	495
TABLE 7a	Alaska - Fish and Sediment Site Sampling Years Oregon - Coos Bay to Columbia River	513



**A SUMMARY OF
CHEMICAL CONTAMINANT LEVELS
AT BENTHIC SURVEILLANCE
PROJECT SITES
(1984 - 1992)**

